


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) - [Recent articles](#) Results **1 - 10** of about **786** for **rebalancing <near> tree <near> threshold** (0.31 seconds)

Balancing methods for binary search trees

JM Cannady - Proceedings of the 16th annual Southeast regional conference, 1978 - portal.acm.org

... are better in regard to time and space and can construct **near**-optimum BS ... The advantages of BB **trees** are: I. Allows **rebalancing** as one goes down the **tree**. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Concurrent cache-oblivious b-trees - all 14 versions »

MA Bender, JT Fineman, S Gilbert, BC Kuszmaul - Proceedings of the 17th annual ACM symposium on Parallelism ..., 2005 - portal.acm.org

... any root- to-leaf path, and the **rebalancing** scheme (where ... ments, then its parent node contains something **near** M/2 ... Each node in the **tree** is laid out in memory ...

[Cited by 11](#) - [Related Articles](#) - [Web Search](#)

[CITATION] Concurrent Cache-Oblivious B-Trees

S Gilbert, BC Kuszmaul - SPAA 2005: Seventeenth Annual ACM Symposium on Parallelism ..., 2005 - ACM Press

[Related Articles](#) - [Web Search](#)

Cache-oblivious string B-trees - all 4 versions »

MA Bender, M Farach-Colton, BC Kuszmaul - Proceedings of the twenty-fifth ACM SIGMOD-SIGACT-SIGART ..., 2006 - portal.acm.org

... **tree**, locality preserving front compression, packed-memory array, range query, **rebalance**. ... it is better to store short keys **near** the top of the **tree**, but it ...

[Cited by 20](#) - [Related Articles](#) - [Web Search](#)

Self-adjusting trees in practice for large text collections - all 11 versions »

HE Williams, J Zobel, S Heinz - Software-Practice and Experience, 2001 - doi.wiley.com

... reason techniques such as red-black **rebalancing** are likely to ... when common words are clustered **near** the root ... or measuring completeness and balance of the **tree**. ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [PL Direct](#)

[PS] Parallel structures and dynamic load balancing for adaptive finite element computation - all 6 versions »

JE Flaherty, PM Loy, C Ozturan, MS Shephard, BK ... - Applied Numerical Mathematics, 1998 - cs.williams.edu

... error indicator information and enrichment **threshold** values ... **Tree** links may be local or o-processor ... Then dynamic **rebalancing** may be performed in parallel in O(N ...

[Cited by 71](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PS] Distributed octree data structures and local refinement method for the parallel solution of three- ... - all 4 versions »

JE Flaherty, PM Loy, MS Shephard, ML Simone, BK ... - Grid Generation and Adaptive Algorithms. The IMA Volumes in ... - cs.williams.edu

... to adaptive space-time h -renement and **rebalancing**. ... of elements that have indicators **near** the rejection ... requires distribution of the **tree** structure across the ...

[Cited by 14](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [PL Direct](#)

[PDF] Cache-Oblivious Dynamic Search Trees - all 3 versions »

Z Kasheff - 2004 - bradley.csail.mit.edu


... 5-7 The initial state of the array before **rebalancing** begins. ... heuristically group logically close disk blocks physically **near** each other ... Search the binary **tree** ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

A new data structure for representing sorted lists

Generalized Haar DWT and Transformations Between Decision Trees and Neural Networks - all 3 versions ...
 Mulvaney, DS Phatak - Neural Networks, IEEE Transactions on, 2006 - ieeexplore.ieee.org
 the learned **tree** or FBDD for **rebalancing** analysis, as ... 17], and shown to offer **near**
 optimal asymptotic ... spectral analysis of general decision **tree** structures on ...
[Related Articles](#) - [Web Search](#) - [BL Direct](#)

Key authors: M Bender - J Flaherty - R Loy - B Szymanski - J Teresco



rebalancing <near> tree <near> thre

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

rebalancing <near> tree <near> threshold <near> phases

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

Scholar All articles - Recent articles Results 1 - 10 of about 503 for rebalancing <near> tree <near> threshold <near> phases. (0.29 seconds)

Did you mean: rebalancing <near> tree <near> threshold <naer> phases

Broad-phase collision detection using semi-adjusting BSP-trees - all 2 versions »

RG Luque, JLD Comba, CMDS Freitas - Proceedings of the 2005 symposium on Interactive 3D graphics ..., 2005 - portal.acm.org

... Partial **rebalancing** schemes represent a more elaborate solution. ... **Near**- optimal construction of partitioning **trees** by evolutionary techniques. ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

[PS] Parallel structures and dynamic load balancing for adaptive finite element computation - all 6 versions »

JE Flaherty, RM Loy, C Ozturan, MS Shephard, BK ... - Applied Numerical Mathematics, 1998 - cs.williams.edu

... **Tree** links may be local or o-processor ... Then dynamic **rebalancing** may be performed in parallel in O ... error indicator information and a renement **threshold** but before ...

[Cited by 71](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Concurrent cache-oblivious b-trees - all 14 versions »

MA Bender, JT Fineman, S Gilbert, BC Kuszmaul - Proceedings of the 17th annual ACM symposium on Parallelism ..., 2005 - portal.acm.org

... any root- to-leaf path, and the **rebalancing** scheme (where ... ments, then its parent node contains something **near** M^2 ... Each node in the **tree** is laid out in memory ...

[Cited by 11](#) - [Related Articles](#) - [Web Search](#)

[CITATION] Concurrent Cache-Oblivious B-Trees

S Gilbert, BC Kuszmaul - SPAA 2005: Seventeenth Annual ACM Symposium on Parallelism ..., 2005 - ACM Press

[Related Articles](#) - [Web Search](#)

[PS] Distributed octree data structures and local refinement method for the parallel solution of three- ... - all 4 versions »

JE Flaherty, RM Loy, MS Shephard, ML Simone, BK ... - Grid Generation and Adaptive Algorithms. The IMA Volumes in ... - cs.williams.edu

... to adaptive space-time h -renement and **rebalancing**. ... of elements that have indicators **near** the rejection ... requires distribution of the **tree** structure across the ...

[Cited by 14](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[PS] Adaptive Local Refinement with Octree Load Balancing for the Parallel Solution of Three-Dimensional ... - Full Text@IngeniaConnect - all 12 versions »

JE Flaherty, RM Loy, MS Shephard, BK Szymanski, JD ... - Journal of Parallel and Distributed Computing, 1997 - cs.williams.edu

... to avoid overowing available memory, the renement **threshold** may be ... may be required

if the mesh **near** an interprocessor ... size, costs would correspond to **tree** depth ...

[Cited by 78](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[Statistical method to determine operating rules in the event ofgenerator dropout on EDF French ...](#)

H Martigne, P Cholley, D King, J Christon - Power Tech Proceedings, 2001 IEEE Porto, 2001 - ieeexplore.ieee.org

... is used to provide primary reserve to **rebalance** production to ... Since the method offers

near- comprehensive coverage ... production plans, a decision-**tree** method was ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[Generalized Haar DWT and Transformations Between Decision Trees and Neural Networks - all 3 versions »](#)

R Muivaney, DS Phatak - Neural Networks, IEEE Transactions on, 2006 - ieeexplore.ieee.org

... offering several new capabilities such as **rebalancing**, multiclass (nonnumerical ... space

also tend to be **near** one another ... is a cell at depth in the **tree**, let and ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] Cache-Oblivious Dynamic Search Trees - all 3 versions »](#)

Z Kasheff - 2004 - bradley.csail.mit.edu

... 5-7 The initial state of the array before **rebalancing** begins. ... heuristically group

logically close disk blocks physically **near** each other ... Search the binary **tree** ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[An adaptive packed-memory array - all 4 versions »](#)

MA Bender, H Hu - 2007 - portal.acm.org

... In the adaptive PMA, we may **rebalance** the elements unevenly ... insertions, that is,

we leave extra gaps **near** elements that ... We let the height of the **tree** be h, so ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Key authors: [J Flaherty](#) - [J Teresco](#) - [B Szymanski](#) - [L Ziantz](#) - [R Loy](#)

Did you mean to search for: [rebalancing <near> tree <near> threshold <naer> phases](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

rebalancing <near> tree <near> thre

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google